

**SECTION 1. Identification of the substance/mixture and of the company/enterprise**

**1.1. Product identifier**

Product name : ANTIOXIN SBT  
Product code: refer to sales department

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Antiseptic / Sulphites / Antioxidants  
Sectors of use:  
Manufacture of food products[SU4]  
Product category:  
Technological adjuvant for beer use

Not recommended uses  
Do not use for purposes other than those listed

**1.3. Details of the supplier of the safety data sheet**

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy  
Tel. +39.030.2307.1 Fax +39.030.2307281  
E-mail: info@aeb-group.com - Internet: www.aeb-group.com  
E-mail tecnico competente/technical dept.: sds@aeb-group.com

---

AEB USA  
111 N Cluff Avenue  
Lodi CA 95240 (USA)  
Tel: +1 2096258139 Fax: +1 2092248953  
Email: info@aebusa.com - Internet: www.aeb-group.com

---

AEB AFRICA (PTY) LTD  
18 Track Crescent, Cor. Station Road  
Montague Gardens 7441  
Cape Town (South Africa)  
Tel.: +27 215512700 - Fax: +27 (0) 215511919  
Email: info@aeb.co.za - Internet: www.aeb-group.com

---

AEB OCEANIA PTY LTD  
178A Wakaden Street  
Griffith NSW 2680  
T: 1300 704 971  
Email: aeboceania@aeb-group.com - Internet: www.aeb-group.com

Produced by  
AEB SpA  
Via Vittorio Arici 104 S. Polo  
25134 Brescia

**1.4. Emergency telephone number**

AEB SpA

Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

AEB USA  
Switchboard: +1 2096258139 (GMT -8; Language: English)

AEB AFRICA (PTY) LTD  
Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD  
Switchboard: +61 1300 704 971 (GMT +9; Language: English)

## SECTION 2. Hazards identification

### 2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:  
GHS05

Hazard Class and Category Code(s):  
Eye Dam. 1

Hazard statement Code(s):  
H318 - Causes serious eye damage.

If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):  
GHS05 - Danger

Hazard statement Code(s):  
H318 - Causes serious eye damage.

Supplemental Hazard statement Code(s):  
EUH031 - Contact with acids liberates toxic gas (SO<sub>2</sub>)

Precautionary statements:

Prevention

P280 - Wear eye/face protection

Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or a doctor.

Contains:

Potassium metabisulfite

Ingredients: potassium metabisulfite(a) 44,4% (1 g/hL bring about 2,6 mg/L of SO<sub>2</sub>), L-Ascorbic acid, gall tannin.



For food, for brewing. Not intended for the final consumer. In accordance with current regulations on the specific matter. Only for industrial use.

(a)=sulfites

(<Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre expressed as SO<sub>2</sub>>in compliance with Regulation (EU) No 1169/2011 - Annex II and subsequent additions and modifications)

### 2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

## SECTION 3. Composition/information on ingredients

### 3.1 Substances

Irrilevant

### 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACH
Potassium metabisulfite	>= 25 < 50%	EUH031; Eye Dam. 1, H318		16731-55-8	240-795-3	01-2119537 422-45-XXX X

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or medicinal mineral vaseline oil.

### 4.2. Most important symptoms and effects, both acute and delayed

Contact with eyes causes very severe irritation, including redness and tear. In contact with skin it causes irritation and redness

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Immediately call a POISON CENTER or a doctor.

### **SECTION 5. Firefighting measures**

#### **5.1. Extinguishing media**

Suggested extinguishing media:

Water spray, CO<sub>2</sub>, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

#### **5.2. Special hazards arising from the substance or mixture**

No data available.

#### **5.3. Advice for firefighters**

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas.

Keep containers cool with water spray

### **SECTION 6. Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provide a sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

#### **6.2. Environmental precautions**

Contain spills

Inform the competent authorities.

Dispose of the waste material in compliance with the regulations

#### **6.3. Methods and material for containment and cleaning up**

6.3.1 Containment:

Rapidly recover the product, wear a mask and protective clothing (for specifications refer to section 8.2. SDS)

Recover the product for reuse, if possible, or for elimination.

6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:  
None in particular.

#### 6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

### SECTION 7. Handling and storage

#### 7.1. Precautions for safe handling

Wear eye/face protection  
At work do not eat or drink.  
See also paragraph 8 below.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers.  
Keep containers upright and safe by avoiding the possibility of falls or collisions.  
Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

#### 7.3. Specific end use(s)

Manufacture of food products:  
Handle with care.  
Store in a clean, dry, ventilated area away from heat and direct sunlight.  
Keep container tightly closed.

### SECTION 8. Exposure controls/personal protection

#### 8.1. Control parameters

=====  
Related to contained substances:  
Potassium metabisulfite:  
ACGIH - STEL: 0.25 ppm - Notes: (SO<sub>2</sub>) UE - TWA: 0.5 ppm - STEL: 1 ppm - Notes: (SO<sub>2</sub>)

Sulfur dioxide:  
8h \* = 1.3mg / m<sup>3</sup>, 0.5ppm  
Short term \*\* = 2.7mg / m<sup>3</sup>, 1ppm

\* Measured or calculated over a reference period of eight hours, as a weighted average  
\*\* Short term exposure level. Limit value above which the exposure should not occur and which refers to a period of 15 minutes, unless otherwise indicated.

- Substance: Potassium metabisulfite  
DNEL  
Systemic effects Long term Workers inhalation = 263 (mg/m<sup>3</sup>)  
Local effects Long term Consumers oral = 10 (mg/kg bw/day)  
Local effects Long term Consumers inhalation = 78 (mg/m<sup>3</sup>)  
PNEC  
Sweet water = 1,17 (mg/l)  
Sea water = 0,12 (mg/l)  
STP = 88,1 (mg/l)

**8.2. Exposure controls**



Appropriate engineering controls:

Manufacture of food products:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

8.2.2 Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (EN 166).

(b) Skin protection

(i) Hand protection

Not needed for normal use, unless otherwise provided by the employer and / or by assessments of environmental hygiene investigations

(ii) Other

Wear normal work clothing.

(c) Respiratory protection

Not needed for normal use, unless otherwise provided by the employer and / or by assessments of environmental hygiene investigations

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices and avoid to disperse the product into the environment.

**SECTION 9. Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical and chemical properties	Value	Determination method
Appearance	Powder	
Colour	Beige	
Odour	not determined as it is considered not relevant for the characterization of the product	
Odour threshold	not determined as it is considered not relevant for the characterization of the product	
pH	3,5 ± 0,5 (20°C; sol. 5%)	
Melting point/freezing point	not determined as it is considered not relevant for the characterization of the product	
Initial boiling point and boiling range	not determined as it is considered not relevant for the characterization of the product	
Flash point	not determined as it is considered not relevant for the characterization of the product	ASTM D92
Evaporation rate	not determined as it is considered not relevant for the characterization of the product	

Physical and chemical properties	Value	Determination method
Flammability (solid, gas)	not determined as it is considered not relevant for the characterization of the product	
Upper/lower flammability or explosive limits	not determined as it is considered not relevant for the characterization of the product	
Vapour pressure	not determined as it is considered not relevant for the characterization of the product	
Vapour density	not determined as it is considered not relevant for the characterization of the product	
Relative density	0.65 ± 0.05 (20 ° C)	
Solubility	in water	
Water solubility	in all proportions	
Partition coefficient: n-octanol/water	not determined as it is considered not relevant for the characterization of the product	
Auto-ignition temperature	not determined as it is considered not relevant for the characterization of the product	
Decomposition temperature	not determined as it is considered not relevant for the characterization of the product	
Viscosity	not determined as it is considered not relevant for the characterization of the product	
Explosive properties	not determined as it is considered not relevant for the characterization of the product	
Oxidising properties	not determined as it is considered not relevant for the characterization of the product	

## 9.2. Other information

No data available.

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

No reactivity hazards

### 10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

### 10.3. Possibility of hazardous reactions

There are no hazardous reactions

### 10.4. Conditions to avoid

Nothing to report

### 10.5. Incompatible materials

Acids, oxidants, NaNO<sub>2</sub>, NaNO<sub>3</sub>

### 10.6. Hazardous decomposition products

Sulfur dioxide

## SECTION 11. Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATE(mix) oral = ∞  
ATE(mix) dermal = ∞  
ATE(mix) inhal = ∞

(a) acute toxicity: Potassium metabisulfite: Ingestion-rat LD50 (mg/kg/bw 24h): > 2000

Skin contact-LC50 rat/coniglio (mg/kg/bw 24h): > 2000

Inhalation-rat LD50 (mg/l/4h): > 5.5

(b) skin corrosion/irritation: Potassium metabisulfite: Non-corrosive

Potassium metabisulfite: Non-irritating

(c) serious eye damage/irritation: If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

Potassium metabisulfite: Corrosive

Potassium metabisulfite: Irritating

(d) respiratory or skin sensitisation: Potassium metabisulfite: non-sensitizing

(e) germ cell mutagenicity: Potassium metabisulfite: non-mutagenic

(f) carcinogenicity: Potassium metabisulfite: non-carcinogenic

(g) reproductive toxicity: Potassium metabisulfite: non-toxic for reproduction

(h) specific target organ toxicity (STOT) single exposure: Potassium metabisulfite: not available

(i) specific target organ toxicity (STOT) repeated exposure: Potassium metabisulfite: not available

(j) aspiration hazard: Potassium metabisulfite: not available

### 11.2. Information on other hazards

No data available.

## SECTION 12. Ecological information

### 12.1. Toxicity

=====  
Related to contained substances:  
Potassium metabisulfite:  
Acute toxicity-fish LC50 (mg/l/83d): 464-1000  
Acute toxicity-crustacea EC50 (mg/l/48 h): 89  
Acute algae toxicity ErC50 (mg/l/72-69): 43.8

Use according to good working practices and avoid to disperse the product into the environment.

### 12.2. Persistence and degradability

=====



---

Related to contained substances:  
Potassium metabisulfite:  
not available

**12.3. Bioaccumulative potential**

=====  
Related to contained substances:  
Potassium metabisulfite:  
not available

**12.4. Mobility in soil**

=====  
Related to contained substances:  
Potassium metabisulfite:  
not available

**12.5. Results of PBT and vPvB assessment**

No PBT/vPvB ingredient is present

**12.6. Endocrine disrupting properties**

No data available.

**12.7. Other adverse effects**

No adverse effects

**SECTION 13. Disposal considerations**

**13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.  
Recover if possible. Operate according to local or national regulations

**SECTION 14. Transport information**

**14.1. UN number or ID number**

Not included in the field of application of regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

**14.2. UN proper shipping name**

None

**14.3. Transport hazard class(es)**

None

**14.4. Packing group**

None

**14.5. Environmental hazards**

None

**14.6. Special precautions for user**

No data available.

**14.7. Maritime transport in bulk according to IMO instruments**

Transport in bulk is not foreseen

**SECTION 15. Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable  
Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC  
Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC  
Reg. EC 648/04: see 2.2  
Reg. (EU) n. 1169/2011: see 2.2  
Reg (UE) 528/2012: see.to 2.2

REGULATION (EU) No 1357/2014 - waste:  
HP4 - Irritant — skin irritation and eye damage

**15.2. Chemical safety assessment**

No chemical safety assessment was carried out by the supplier

**SECTION 16. Other information**

**16.1. Other information**

Points modified compared to previous release: 1.2. Relevant identified uses of the substance or mixture and uses advised against, 2.2. Label elements, 8.2. Exposure controls

Description of hazard statements set out in paragraph 3  
H318 = Causes serious eye damage.

Classification based on data of all mixture components

Main normative references:  
Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.

Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.  
Regulation (EC) n. 648 of 31/03/04 (on detergents) et seq.  
Regulation (UE) n. 1169/2011 (on the provision of food information to consumers)  
Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.  
Regulation (UE) 528/2012 (Biocides) et seq.

Procedure used to classify under CLP mixture (Reg. EC 1272/2008): classification method

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a.: not applicable

n.d.: not available

ADR: Accord européen relative au transport International des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Acute Toxicity Estimati

BFC: Bioconcentration Factor

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstract Service number

CAP: Centre AntiPoison

CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified Chemical Substances)

CL50/LC50: Lethal Concentration 50

DL50/LD50: Lethal Dose 50

COD: Chemical Oxygen Demand

DNEL: Derived No Effect Level

EC50: half maximal Effective Concentration

ERC: Environment Release Classes

EU/UE: European Union

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods code

Kow: Octanol water partition coefficient

NOEC: No Observed Effect Concentration

OEL: Occupational Exposure Limit

PBT: Persistent Bioaccumulative and Toxic

PC: Product Categories

PNEC: Predicted No Effect Concentration

PROC: Process Categories

RID: Règlement concernant le transport International ferroviaire des marchandises dangereuses (Regulations concerning International rail transport of dangerous goods)

STOT: Target Organ Systemic Toxicity

STOT (RE): Repeated Exposure

STOT (SE): Single Exposure

STP: Sewage Treatment Plants

SU: Sector of Use

SVCH: Substance of Very High Concern

TLV: Threshold Limit Value

vPvB: Very Persistent Very Bioaccumulative

#### References and Sources:

- ECHA Registered Substances:  
<https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances>
- SDS supplier
- GESTIS DNEL Database: <http://www.dguv.de/ifa/gestis/gestis-dnel-datenbank/index-2.jsp>
- GESTIS International Limit Value: <http://limitvalue.ifa.dguv.de>

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

\*\*\* this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: label variation.

---