

**SECTION 1. Identification of the substance/mixture and of the company/enterprise**

**1.1. Product identifier**

Product name : STERYL Vasche  
Product code: refer to sales department

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Stabilisers  
Sectors of use:  
Manufacture of food products[SU4]  
Product category:  
Process aid for enological use

Not recommended uses  
Do not use for purposes other than those listed

**1.3. Details of the supplier of the safety data sheet**

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy  
Tel. +39.030.2307.1 Fax +39.030.2307281  
E-mail: info@aeb-group.com - Internet: www.aeb-group.com  
E-mail tecnico competente/technical dept.: sds@aeb-group.com

---

AEB USA  
111 N Cluff Avenue  
Lodi CA 95240 (USA)  
Tel: +1 2096258139 Fax: +1 2092248953  
Email: info@aebusa.com - Internet: www.aeb-group.com

---

AEB AFRICA (PTY) LTD  
18 Track Crescent, Cor. Station Road  
Montague Gardens 7441  
Cape Town (South Africa)  
Tel.: +27 215512700 - Fax: +27 (0) 215511919  
Email: info@aeb.co.za - Internet: www.aeb-group.com

---

AEB OCEANIA PTY LTD  
178A Wakaden Street  
Griffith NSW 2680  
T: 1300 704 971  
Email: aeboceania@aeb-group.com - Internet: www.aeb-group.com

**1.4. Emergency telephone number**

AEB SpA  
Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

---

AEB USA  
Switchboard: +1 2096258139 (GMT -8; Language: English)

---

AEB AFRICA (PTY) LTD  
Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD  
Switchboard: +61 1300 704 971 (GMT +9; Language: English)

## SECTION 2. Hazards identification

### 2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:  
GHS07, GHS09

Hazard Class and Category Code(s):  
Skin Sens. 1B, Aquatic Chronic 2

Hazard statement Code(s):  
H317 - May cause an allergic skin reaction.  
H411 - Toxic to aquatic life with long lasting effects.

The product, if brought into contact with skin can cause skin sensitization.  
The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):  
GHS07, GHS09 - Warning

Hazard statement Code(s):  
H317 - May cause an allergic skin reaction.  
H411 - Toxic to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):  
not applicable

Precautionary statements:

Prevention

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

P302+P352 - IF ON SKIN: Wash with plenty of water.

Disposal

P501 - Dispose of contents/container to local/regional/national/international regulations

Contains:

Allyl Isothiocyanate

Composition: allyl isothiocyanate in the form of natural oil of mustard(a) 20‰ into inert paraffine filler about g 20 (substances for treatments above surface).

Food use, oenological use. Not intended for the final consumer. In accordance with current regulations on the specific matter. Only for industrial use.



(a)=mustard and mustard-based products

MUSTARD - (<Mustard and products thereof> in compliance with Regulation (EU) No 1169/2011 - Annex II and subsequent additions and modifications)

### 2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

## SECTION 3. Composition/information on ingredients

### 3.1 Substances

Irrilevant

### 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACH
ALLYL ISOTHIOCYANATE	>= 1 < 2,5%	Flam. Liq. 3, H226; Acute Tox. 3, H301; Acute Tox. 2, H310; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319; Acute Tox. 2, H330; STOT SE 3, H335; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 10 Chronic toxicity M-factor = 10		57-06-7	200-309-2	

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

In case of contact with skin, wash immediately with water.

Direct contact with eyes (of the pure product):

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or medicinal mineral vaseline oil.

#### **4.2. Most important symptoms and effects, both acute and delayed**

No data available.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

If skin irritation or rash occurs: Get medical advice/attention.

### **SECTION 5. Firefighting measures**

#### **5.1. Extinguishing media**

Suggested extinguishing media:

Water spray, CO<sub>2</sub>, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

#### **5.2. Special hazards arising from the substance or mixture**

No data available.

#### **5.3. Advice for firefighters**

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas.

Keep containers cool with water spray

### **SECTION 6. Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provide a sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

#### **6.2. Environmental precautions**

Contain spills

Inform the competent authorities.

Dispose of the waste material in compliance with the regulations

#### **6.3. Methods and material for containment and cleaning up**

6.3.1 Containment:

Rapidly recover the product, wear a mask and protective clothing (for specifications refer to section 8.2. SDS)

Recover the product for reuse, if possible, or for elimination.

**6.3.2 Cleaning up:**

After wiping up, wash with water the area and materials involved

**6.3.3 Other information:**

None in particular.

**6.4. Reference to other sections**

Refer to paragraphs 8 and 13 for more information

**SECTION 7. Handling and storage**

**7.1. Precautions for safe handling**

Wear protective gloves/protective clothing/eye protection/face protection.

At work do not eat or drink.

Contaminated work clothing should not be allowed out of the workplace.

See also paragraph 8 below.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep in original container closed tightly. Do not store in open or unlabelled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

**7.3. Specific end use(s)**

Manufacture of food products:

Handle with care.

Store in a clean, dry, ventilated area away from heat and direct sunlight.

Keep container tightly closed.

**SECTION 8. Exposure controls/personal protection**

**8.1. Control parameters**

No data available.

**8.2. Exposure controls**

Appropriate engineering controls:

Manufacture of food products:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)



**8.2.2 Individual protection measures:**

(a) Eye / face protection  
Not needed for normal use.

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product, wear full protective clothing (generic workwear) or other protective equipment, according to the instructions of the employer

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

=====

Related to contained substances:

ALLYL ISOTHIOCYANATE:

Eyes/face: goggles, chemical agents are recommended. Wash contaminated glasses before reuse.

Hand protection: compatible chemical-resistant gloves are recommended. Wash gloves before reuse.

Other Wear personal protection: measures should be taken to ensure that the materials coming into contact with the eyes or on the skin.

Wear protective clothing and eyeshields.

Respiratory protection: In case of insufficient ventilation, use suitable respiratory equipment.

In the case of short exposure, use a device filter.

Skin protection: protective clothing lightweight recommended. Wash contaminated clothing before reuse.

Avoid inhalation and in contact with skin and eyes.

Technical controls-ventilation: do not breathe fumes.

Required a mechanical exhaust. In areas circumscribed or poorly ventilated, using a proper respiratory protection may be required.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	disks	
Colour	yellowish	
Odour	prickly	
Odour threshold	not determined as considered not relevant for the characterization of the product	
pH	not determined as considered not relevant for the characterization of the product	
Melting point/freezing point	60 - 95°C	
Initial boiling point and boiling range	not determined as considered not relevant for the characterization of the product	
Flash point	not determined as considered not relevant for the characterization of the product	ASTM D92
Evaporation rate	not determined as considered not relevant for the characterization of the product	

Physical and chemical properties	Value	Determination method
Flammability (solid, gas)	not determined as considered not relevant for the characterization of the product	
Upper/lower flammability or explosive limits	not determined as considered not relevant for the characterization of the product	
Vapour pressure	not determined as considered not relevant for the characterization of the product	
Vapour density	not determined as considered not relevant for the characterization of the product	
Relative density	0,9 ± 0,05 (20°C)	
Solubility	not determined as considered not relevant for the characterization of the product	
Water solubility	not determined as considered not relevant for the characterization of the product	
Partition coefficient: n-octanol/water	not determined as considered not relevant for the characterization of the product	
Auto-ignition temperature	not determined as considered not relevant for the characterization of the product	
Decomposition temperature	not determined as considered not relevant for the characterization of the product	
Viscosity	not determined as considered not relevant for the characterization of the product	
Explosive properties	not determined as considered not relevant for the characterization of the product	
Oxidising properties	not determined as considered not relevant for the characterization of the product	

## 9.2. Other information

No data available.

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

No reactivity hazards

### 10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

### 10.3. Possibility of hazardous reactions

There are no hazardous reactions

### 10.4. Conditions to avoid

=====

Related to contained substances:

ALLYL ISOTHIOCYANATE:

Excessive heat, flame or other ignition sources.

### 10.5. Incompatible materials

Nothing in particular

### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11. Toxicological information

### 11.1. Information on toxicological effects

ATE(mix) oral = 5.115,1 mg/kg  
ATE(mix) dermal = 2.557,5 mg/kg  
ATE(mix) inhal = 25,6 mg/l/4 h

- (a) acute toxicity: ALLYL ISOTHIOCYANATE: Ingestion - LD50 rat (mg / kg / 24h bw): nd  
Skin contact - LC50 rat / rabbit (mg / kg / 24h bw): nd  
Inhalation - LD50 rat (mg / l / 4h): nd  
(b) skin corrosion/irritation ALLYL ISOTHIOCYANATE: Non-corrosive  
ALLYL ISOTHIOCYANATE: Irritating  
(c) serious eye damage/irritation: ALLYL ISOTHIOCYANATE: Non-corrosive  
ALLYL ISOTHIOCYANATE: Irritating  
(d) respiratory or skin sensitization: The product, if brought into contact with skin can cause skin sensitization.  
ALLYL ISOTHIOCYANATE: based on the available data, the criteria for classification are not met  
(e) germ cell mutagenicity: ALLYL ISOTHIOCYANATE: based on the available data, the criteria for classification are not met  
(f) carcinogenicity: ALLYL ISOTHIOCYANATE: based on the available data, the criteria for classification are not met  
(g) reproductive toxicity: ALLYL ISOTHIOCYANATE: based on the available data, the criteria for classification are not met  
(h) specific target organ toxicity (STOT) single exposure: ALLYL ISOTHIOCYANATE: May cause respiratory irritation.  
(i) specific target organ toxicity (STOT) repeated exposure ALLYL ISOTHIOCYANATE: based on the available data, the criteria for classification are not met  
(j) aspiration hazard: ALLYL ISOTHIOCYANATE: based on the available data, the criteria for classification are not met

### 11.2. Information on other hazards

No data available.

## SECTION 12. Ecological information

### 12.1. Toxicity

=====  
Related to contained substances:

ALLYL ISOTHIOCYANATE:

Acute toxicity - LC50 fish (mg / l / 96h): nd Acute toxicity - crustaceans EC50 (mg / l / 48h): nd Acute toxicity algae ErC50 (mg / l / 72-96h): nd Chronic toxicity - NOEC fish (mg / l): nd Chronic toxicity - crustaceans NOEC (mg / l): nd Chronic toxicity NOEC algal (mg / l): nd



Acute toxicity M-factor = 10  
Chronic toxicity M-factor = 10

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices and avoid to disperse the product into the environment.

### **12.2. Persistence and degradability**

=====  
Related to contained substances:  
ALLYL ISOTHIOCYANATE:  
Not available

### **12.3. Bioaccumulative potential**

=====  
Related to contained substances:  
ALLYL ISOTHIOCYANATE:  
Not available

### **12.4. Mobility in soil**

=====  
Related to contained substances:  
ALLYL ISOTHIOCYANATE:  
Not available

### **12.5. Results of PBT and vPvB assessment**

No PBT/vPvB ingredient is present

### **12.6. Endocrine disrupting properties**

No data available.

### **12.7. Other adverse effects**

No adverse effects

## **SECTION 13. Disposal considerations**

### **13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

## SECTION 14. Transport information

### 14.1. UN number

ADR/RID/IMDG/ICAO-IATA: 3077

If subject to the following characteristics is ADR exempt:

Combination packagings: per inner packaging 5 kg per package 30 Kg

Inner packaging placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 kg per package 20 Kg



### 14.2. UN proper shipping name

ADR/RID/IMDG: MATERIA PERICOLOSA PER L'AMBIENTE, SOLIDA, N.A.S. (Isotiocianato di allile in miscela)

ADR/RID/IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Allyl isothiocyanate in mixture)

ICAO-IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Allyl isothiocyanate in mixture)

### 14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 9

ADR/RID/IMDG/ICAO-IATA: Label : 9+Ambiente

ADR: Tunnel restriction code : --

ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 kg

IMDG - EmS : F-A, S-F

### 14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

### 14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is environmentally hazardous

IMDG: Marine polluting agent : Yes

### 14.6. Special precautions for user

The transport must be carried out by authorized vehicles for the transport of dangerous goods in accordance with the requirements of the applicable Edition of the agreement A.D.R. and national provisions. The transport must be carried out in the original packaging and in packages that are made from materials resistant to content and not likely to generate with this dangerous reactions. The process of loading and unloading of dangerous goods have received adequate training on the risks presented by prepared and on possible procedures to be taken in the event of emergency situations

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Transport in bulk is not foreseen

## SECTION 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable  
Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC  
Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC  
Reg. EC 648/04: see 2.2  
Reg. (EU) n. 1169/2011: see 2.2  
Reg (UE) 528/2012: see.to 2.2

Seveso category:

E2 - ENVIRONMENTAL HAZARDS

REGULATION (EU) No 1357/2014 - waste:

HP14 - Ecotoxic

### 15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

## SECTION 16. Other information

### 16.1. Other information

Points modified compared to previous release: 1.2. Relevant identified uses of the substance or mixture and uses advised against, 2.1. Classification of the substance or mixture, 2.2. Label elements, 8.2. Exposure controls.

Description of hazard statements set out in paragraph 3

H226 = Flammable liquid and vapour.

H301 = Toxic if swallowed.

H310 = Fatal in contact with skin.

H315 = Causes skin irritation.

H317 = May cause an allergic skin reaction.

H319 = Causes serious eye irritation.

H330 = Fatal if inhaled.

H335 = May cause respiratory irritation.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

Classification based on data of all mixture components

Main normative references:

Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.

Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.

Regulation (EC) n. 648 of 31/03/04 (on detergents) et seq.

Regulation (UE) n. 1169/2011 (on the provision of food information to consumers)

Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.

Regulation (UE) 528/2012 (Biocides) et seq.

Procedure used to classify under CLP mixture (Reg . EC 1272/2008): caculation method

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a.: not applicable

n.d.: not available

ADR: Accord européen relative au transport International des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Acute Toxicity Estimati

BFC: Bioconcentration Factor  
BOD: Biochemical Oxygen Demand  
CAS: Chemical Abstract Service number  
CAP: Centre AntiPoison  
CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified Chemical Substances)  
CL50/LC50: Lethal Concentration 50  
DL50/LD50: Lethal Dose 50  
COD: Chemical Oxygen Demand  
DNEL: Derived No Effect Level  
EC50: half maximal Effective Concentration  
ERC: Environment Release Classes  
EU/UE: European Union  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organization  
IMDG: International Maritime Dangerous Goods code  
Kow: Octanol water partition coefficient  
NOEC: No Observed Effect Concentration  
OEL: Occupational Exposure Limit  
PBT: Persistent Bioaccumulative and Toxic  
PC: Product Categories  
PNEC: Predicted No Effect Concentration  
PROC: Process Categories  
RID: Règlement concernant le transport International ferroviaire des marchandises dangereuses (Regulations concerning International rail transport of dangerous goods)  
STOT: Target Organ Systemic Toxicity  
STOT (RE): Repeated Exposure  
STOT (SE): Single Exposure  
STP: Sewage Treatment Plants  
SU: Sector of Use  
SVCH: Substance of Very High Concern  
TLV: Threshold Limit Value  
vPvB: Very Persistent Very Bioaccumulative

#### References and Sources:

- ECHA Registered Substances:  
<https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances>
- SDS supplier
- GESTIS DNEL Database: <http://www.dguv.de/ifa/gestis/gestis-dnel-datenbank/index-2.jsp>
- GESTIS International Limit Value: <http://limitvalue.ifa.dguv.de>

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

\*\*\* this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: variation on classification.