



SECTION 1. Identification of the substance/mixture and of the company/enterprise

1.1. Product identifier

Product name : FIBROSTERIL
Product code: refer to sales department

1.2. Relevant identified uses of the substance or mixture and uses advised against

Filtration adjuvants

Sectors of use:

Industrial Manufacturing[SU3], Manufacture of food products[SU4], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Product category:

Process aid for enological use

Not recommended uses

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy

Tel. +39.030.2307.1 Fax +39.030.2307281

E-mail: info@aeb-group.com - Internet: www.aeb-group.com

E-mail tecnico competente/technical dept.: sds@aeb-group.com

AEB BIOCHEMICAL USA

111 N Cluff Avenue

Lodi CA 95240 (USA)

Tel: +1 2096258139 Fax: +1 2092248953

Email: info@aebusa.com - Internet: www.aeb-group.com

AEB AFRICA (PTY) LTD

18 Track Crescent, Cor. Station Road

Montague Gardens 7441

Cape Town (South Africa)

Tel.: +27 215512700 - Fax: +27 215511919

Email: info@aeb.co.za - Internet: www.aeb-group.com

AEB OCEANIA PTY LTD

113 Hanwood Avenue

Hanwood

NSW 2680 (Australia)

Tel: +61 1300 704 971

Email: aebocceania@aeb-group.com - Internet: www.aeb-group.com

Produced by

AEB SpA

Via Vittorio Arici 104 S. Polo

25134 Brescia



Issued on 09/27/2016 - Rel. # 3 on 09/27/2016

2 / 13

In conformity to Regulation (EU) 2015/830

1.4. Emergency telephone number

AEB SpA

Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

AEB BIOCHEMICAL USA

Switchboard: +1 2096258139 (GMT -8; Language: English)

AEB AFRICA (PTY) LTD

Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD

Switchboard: +61 1300 704 971 (GMT +9; Language: English)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

Pictograms:

None

Hazard Class and Category Code(s):

Non hazardous

Hazard statement Code(s):

Non hazardous

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

None

Hazard statement Code(s):

Non hazardous

Supplemental Hazard statement Code(s):

not applicable

Precautionary statements:

None in particular.

Contains:

ACTIVATED BENTONITE, PERLITE, CELLULOSE

For professional use only

For limited use in food processing: enological



2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

No dangerous substance to report.

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
PERLITE	> 50 <= 100%			93763-70-3	618-970-4	
BENTONITE ACTIVATED	> 5 <= 10%			70131-50-9	274-324-8	01-2119485 596-21-XXX X
CELLULOSE	> 1 <= 5%			9004-34-6	232-674-9	

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).:

Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product).:

Wash immediately and thoroughly with running water for at least 10 minutes.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or medicinal mineral vaseline oil.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.



SECTION 5. Firefighting measures

5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provide a sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spills

Inform the competent authorities.

Dispose of the waste material in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 Containment:

Recover the product for reuse, if possible, or for elimination.

6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:



None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

At work do not eat or drink.
See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:
Handle with extreme caution.
Store in a well ventilated place away from heat sources.

Manufacture of food products:
Handle with care.
Store in a clean, dry, ventilated area away from heat and direct sunlight.
Keep container tightly closed.

Public domain (administration, education, entertainment, services, craftsmen):
Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

=====
Related to contained substances:
PERLITE:
Limit value – Eight hours
(ppm)/(mg/m³)

Australia: x/10(1)
Austria: x/5 inhalable aerosol
Belgium: x/10
Canada – Ontario: x/10(1)
Canada – Québec: x/10(total) – 5 (respirable)
Latvia: x/4(1)
People's Republic of China: x/8(1) – 4(2)
Singapore: x/10
South Korea: x/10
USA – NIOSH: x/10 total dust – 5 respirable fraction

Limit value – Short term
Australia: x/x



Austria: x/10 inhalable aerosol
Belgium: x/x
Canada – Ontario: x/x
Canada – Québec: x/x
Latvia: x/x
People's Republic of China: x/x
Singapore: x/x
South Korea: x/x
USA – NIOSH: x/x

Remarks

Australia: (1) This value is for inhalable dust containing no asbestos and <1% crystalline silica.
Canada – Ontario: (1) This value us for particulate matter containing no asbestos and <1% crystalline silica
Latvia: (1) and tuff, pemza
People's Republic of China: (1) Inhalable fraction (2) Respirable fraction

BENTONITE ACTIVATED:

Alveolar dust: <1.60%
Free crystalline silica in alveolar powder: <1.50%
Product: honeycomb crystalline silica content: <0.02%

upper limits for dusts (alveolar part)

Value: 3 mg/m³
Base/observations: TRGS900 01 2006

upper bounds of powders (part respirable)

Value: 10 mg/m³
Base/observations: TRGS900 01 2006

CELLULOSE:

Limit value - Eight hours
(ppm)/(mg/m³)

Australia: x/10(1)
Belgio: x/10
Canada – Ontario: x/10
Canada - Québec: x/10
France: x/10 inhalable aerosol
Ireland: x/10(1); x/4(2)
Latvia: x/2
New Zealand: x/10(1)
People's Republic of China: x/10
Singapore: x/10
South Korea: x/10
Spain: x/10 inhalable aerosol
Switzerland: x/3 respirable aerosol
USA - NIOSH: x/10(1); x/5(2)
USA - OSHA: x/15 total dust; 5 respirable dust
United Kingdom: : x/10 inhalable aerosol; 4 respirable aerosol

Limit value - Short term
(ppm)/(mg/m³)

Ireland: x/20 (1)(3)
United Kingdom: x/20 inhalable aerosol



Issued on 09/27/2016 - Rel. # 3 on 09/27/2016

7 / 13

In conformity to Regulation (EU) 2015/830

Remarks:

Australia: (1) This value is for inhalable dust containing no asbestos and <1 % crystalline silica.
Ireland: (1) Inhalable fraction (2) Respirable fraction (3) 15 minutes reference period
New Zealand: (1) The value for inhalable dust containing no asbestos and less than 1% free silica.
USA – NIOSH: (1) Total dust (2) Respirable aer

- Substance: BENTONITE ACTIVATED

DNEL

Systemic effects Long term Workers inhalation = 10 (mg/m³)

Systemic effects Long term Consumers inhalation = 10 (mg/m³)

PNEC

STP = 100 (mg/l)

8.2. Exposure controls



Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Manufacture of food products:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Public domain (administration, education, entertainment, services, craftsmen):

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

8.2.2 Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (EN 166).

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product wear full protection to the skin (dress generic / antacid work suit, safety shoes S3 EN ISO 20345)

(c) Respiratory protection

Not needed for normal use.

During manual operations in case of insufficient ventilation, use adequate protection mask (EN 143) unless otherwise provided by the employer and / or assessments of environmental investigations hygienistic

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices and avoid to disperse the product into the environment.



9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	White powder mixed with fibers	
Odour	not determined	
Odour threshold	not determined	
pH	6,0 ± 1,0 (20°C; sol. 10%)	
Melting point/freezing point	not determined	
Initial boiling point and boiling range	not determined	
Flash point	irrelevant	ASTM D92
Evaporation rate	irrelevant	
Flammability (solid, gas)	irrelevant	
Upper/lower flammability or explosive limits	irrelevant	
Vapour pressure	irrelevant	
Vapour density	irrelevant	
Relative density	0,12 ± 0,05 (20°C)	
Solubility	not determined	
Water solubility	disperdible	
Partition coefficient: n-octanol/water	not determined	
Auto-ignition temperature	irrelevant	
Decomposition temperature	irrelevant	
Viscosity	not determined	
Explosive properties	irrelevant	
Oxidising properties	irrelevant	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions



10.4. Conditions to avoid

Avoid exposure to heat and moisture

10.5. Incompatible materials

None

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = ∞
ATE(mix) dermal = ∞
ATE(mix) inhal = ∞

(a) acute toxicity: PERLITE: Ingestion-rat LD50 (mg/kg/bw 24h): 12960

This product has a low toxicity. May be harmful to health only in large quantities.
High concentrations of dust can cause respiratory irritation.

BENTONITE ACTIVATED: Ingestion-rat LD50 (mg/kg/bw 24h): >5000

Skin contact-LC50 rat/coniglio (mg/kg/bw 24h): >2000

Inhalation-rat LD50 (mg/l/4h): > 50

CELLULOSE: Ingestion-rat LD50 (mg/kg/bw 24h): >5000

Skin contact-LC50 rat/coniglio (mg/kg/bw 24h): >2000

Inhalation-rat LD50 (mg/l/4h): >5800

(b) skin corrosion/irritation PERLITE: Non-corrosive

BENTONITE ACTIVATED: Non-corrosive

CELLULOSE: Non-corrosive

PERLITE: Prolonged contact can cause dry skin.

BENTONITE ACTIVATED: Non-irritating

CELLULOSE: Non-irritating

(c) serious eye damage/irritation: PERLITE: Non-corrosive

BENTONITE ACTIVATED: Non-corrosive

CELLULOSE: Non-corrosive

PERLITE: The particles in the eyes may cause irritation and smarting.

BENTONITE ACTIVATED: Non-irritating

CELLULOSE: Non-irritating

(d) respiratory or skin sensitization: PERLITE: Not available

BENTONITE ACTIVATED: Non-sensitizing

CELLULOSE: Non-Sensitizing

(e) germ cell mutagenicity: PERLITE: Not available

BENTONITE ACTIVATED: Non-mutagenic



CELLULOSE: Not available
(f) carcinogenicity: PERLITE: Not available
BENTONITE ACTIVATED: Non-carcinogenic
CELLULOSE: Not available
(g) reproductive toxicity: PERLITE: Not available
BENTONITE ACTIVATED: Non-toxic for reproduction
CELLULOSE: Not available
(h) specific target organ toxicity (STOT) single exposure: PERLITE: Not available
BENTONITE ACTIVATED: Not available
CELLULOSE: Not available
(i) specific target organ toxicity (STOT) repeated exposure: PERLITE: Not available
BENTONITE ACTIVATED: Not available
CELLULOSE: Not available
(j) aspiration hazard: PERLITE: Not available
BENTONITE ACTIVATED: Not available
CELLULOSE: Not available

Health Hazards:

Eye contact: Accidental contact of product with eyes may cause irritation.

Skin Contact: Product is not an irritant. Prolonged or repeated contact may defeat and irritate the skin and cause dermatitis in some cases.

Ingestion: The ingested product may cause irritation of the mucous membranes of the throat and digestive system leading to digestive symptoms and abnormal bowel disorders.

Inhalation: Prolonged exposure to vapours or mists of product may cause respiratory irritation.

CELLULOSA

**** Not translated ****

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

BENTONITE ACTIVATED:

Acute toxicity-fish LC50 (mg/l/96h): n.a.

Acute toxicity-crustacea EC50 (mg/l/48 h): > 100

Acute algae toxicity ErC50 (mg/l/72-96h): > 100

Use according to good working practices and avoid to disperse the product into the environment.

12.2. Persistence and degradability

Related to contained substances:

PERLITE:

The product is not biodegradable

BENTONITE ACTIVATED:

Not biodegradable

CELLULOSE:

Not persistent



12.3. Bioaccumulative potential

=====

Related to contained substances:

PERLITE:

Not bioaccumulative

BENTONITE ACTIVATED:

Not available

CELLULOSE:

There is no evidence of bioaccumulation potential.

12.4. Mobility in soil

=====

Related to contained substances:

PERLITE:

Insoluble in water.

BENTONITE ACTIVATED:

Not available

CELLULOSE:

Not available

12.5. Results of PBT and vPvB assessment

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Operate according to local or national regulations

SECTION 14. Transport information

14.1. UN number

Not included in the field of application of regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).



Issued on 09/27/2016 - Rel. # 3 on 09/27/2016

12 / 13

In conformity to Regulation (EU) 2015/830

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Transport in bulk is not foreseen

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable
Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC
Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC
Reg. EC 648/04: see 2.2
Reg. (EU) n. 1169/2011: see 2.2

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information

16.1. Other information

Classification based on data of all mixture components
Main normative references:
Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.
Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.
Regulation (EC) n. 648 of 31/03/04 (on detergents) et seq.
Regulation (UE) n. 1169/2011 (on the provision of food information to consumers)



FIBROSTERIL

Issued on 09/27/2016 - Rel. # 3 on 09/27/2016

13 / 13

In conformity to Regulation (EU) 2015/830

Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.

Procedure used to classify under CLP mixture (Reg . EC 1272/2008): not applicable

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a. not applicable

n.d. not available

ADR Accord européen relative au transport international des marchandises dangereuses par route (accordo europeo relativo al trasporto internazionale delle merci pericolose su strada) ATE Acute

Toxicity Estimate

BFC Bioconcentration Factor

BOD Biochemical oxygen demand

CAS Chemical Abstracts Service number

CAV Centro antiveleni

CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified Chemical Substances)

CL50/ LC50 Lethal Concentration 50 (Concentrazione Letale per il 50% degli Individui) DL 50/LD50 Lethal Dose 50 (Dose Letale per il 50% degli Individui) COD Chemical Oxygen demand

DNEL Derived no effect level (Livello derivato senza effetto) EC50 Concentrazione di un dato fatale da produrre il 50% dell'effetto massimale ERC Environmental Release Classes

EU/UE Unione Europea

IATA International Air Transport Association (Associazione Internazionale del Trasporto Aereo) ICAO International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)

IMDG International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo) Kow Octanol-water partition coefficient

NOEC No observed effect concentration

OEL Occupational Exposure Limit

PBT Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche) PC

Product categories

PNEC Predicted no effect concentration (Concentrazione prevedibile priva di effetti). PROC Process Categories

RID "Règlement concernant le transport International ferroviaire des marchandises

Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci pericolose STOT "Target organ systemic toxicity (tossicità sistematica su organi bersaglio)

STOT (RE) Repeated Exposure

STOT (SE) Single Exposure"

STP Sewage Treatment Plants

SU Sector of Use

SVHC Substances of Very High Concern

TLV Threshold limit value (soglia di valore limite)

vPvB Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

*** this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: Number of unified review in relation to other languages AEB group. Previous reviews no available in english.