

SECTION 1. Identification of the substance/mixture and of the company/enterprise

1.1. Product identifier

Product name : FIBROXCEL 10
Product code: refer to sales department

1.2. Relevant identified uses of the substance or mixture and uses advised against

Filtration adjuvants
Sectors of use:
Manufacture of food products[SU4]
Product category:
Technological adjuvant for limited food use

Not recommended uses
Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy
Tel. +39.030.2307.1 Fax +39.030.2307281
E-mail: info@aeb-group.com - Internet: www.aeb-group.com
E-mail tecnico competente/technical dept.: sds@aeb-group.com

AEB USA
111 N Cluff Avenue
Lodi CA 95240 (USA)
Tel: +1 2096258139 Fax: +1 2092248953
Email: info@aebusa.com - Internet: www.aeb-group.com

AEB AFRICA (PTY) LTD
18 Track Crescent, Cor. Station Road
Montague Gardens 7441
Cape Town (South Africa)
Tel.: +27 215512700 - Fax: +27 (0) 215511919
Email: info@aeb.co.za - Internet: www.aeb-group.com

AEB OCEANIA PTY LTD
178A Wakaden Street
Griffith NSW 2680
T: 1300 704 971
Email: aebocania@aeb-group.com - Internet: www.aeb-group.com

Produced by
AEB IBERICA, S.A.U
Av. Can Companyà, 13
08755 Castellbisbal (Barcelona)

1.4. Emergency telephone number

AEB SpA

Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

AEB USA

Switchboard: +1 2096258139 (GMT -8; Language: English)

AEB AFRICA (PTY) LTD

Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD

Switchboard: +61 1300 704 971 (GMT +9; Language: English)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

None

Hazard Class and Category Code(s):

Non hazardous

Hazard statement Code(s):

Non hazardous

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

None

Hazard statement Code(s):

Non hazardous

Supplemental Hazard statement Code(s):

EUH210 - Safety data sheet available on request.

Precautionary statements:

None in particular.

Contains:

Information concerning the components: Perlite and Cellulose.

Food use, oenological use. Not intended for the final consumer. In accordance with current regulations on the specific matter.

2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

Depending on the use and handling (grinding, drying, packaging) dust can be generated in the environment. The powder contains respirable crystalline silica. Inhaling dust containing crystalline silica for a long time can cause adverse effects on the lungs. Crystalline silica (cristobalite) is a known cause of silicosis, a progressive and in some cases very severe lung disease. Perlite contains less than 0.1% silica crystalline.

Using the product as directed by the supplier minimizes the risk of exposure to respirable crystalline silica

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

No dangerous substance to report.

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
PERLITE substance for which there are Community workplace exposure limits	>= 50 < 100%			93763-70-3		
Cellulose substance for which there are Community workplace exposure limits	> 5 <= 15%			9004-34-6	232-674-9	

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).:

Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product).:

Wash immediately and thoroughly with running water for at least 10 minutes.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or medicinal mineral vaseline oil.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas.

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

6.1.2 For emergency responders:

Avoid the formation of dust.

Avoid inhalation of dust.

Ensure adequate ventilation.

Eliminate all naked flames and possible sources of ignition. Smoking prohibited.

Provide adequate ventilation.

Evacuate the danger area and if necessary consult an expert.

6.2. Environmental precautions

Contain spills

Inform the competent authorities.

Dispose of the waste material in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 Containment:

Recover the product for reuse, if possible, or for elimination.

6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

At work do not eat or drink.
See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

7.3. Specific end use(s)

Manufacture of food products:
Handle with Care.
Store in a clean, dry and ventilated place, away from heat sources and direct sunlight.

Keep the container tightly closed, protected from moisture and strong odors.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

=====
Related to contained substances:

PERLITE
Crystalline silica
Limit value - Eight hours
(ppm)/(mg/m³)
Australia: x/0,1 (1)
Belgio: x/0,05
Canada – Ontario: x/0,05 (1)
South Korea: x/0,05 (respirable dust)
Dinamarca: x/0,15
Spain: x/0,05 (1)
France: x/0,05 (respirable aerosol)
The Netherlands: x/0,075 (respirable dust)
Hungary: x/0,15 (respirable aerosol)
Ireland: x/0,1 (1)
New Zealand: x/0,1 (1)
Singapore: x/0,05 (respirable aerosol)
Sweden: x/0,05 (1)
Switzerland: x/0,15 (respirable aerosol) MAK

USA – NIOSH: x/0,05
USA – OSHA: x/0,5 (30/(% silica+2))

Limit value - Short term
(ppm)/(mg/m³)

Australia: x/x
Belgio: x/x
Canada – Ontario: x/x
South Korea: x/x
Denmark: x/0,3
Spain: x/x
France: x/x
The Netherlands: x/x
Hungary: x/x
Ireland: x/x
New Zealand: x/x
Singapore: x/x
Sweden: x/x
Switzerland: x/x
USA – NIOSH: x/x
USA – OSHA: x/x

Note

Australia: (1) respirable dust
Canada – Ontario: (1) respirable aerosol
Spain: (1) respirable fraction (INSHT 2018).
Francia: Negrita: Regulatory restrictive limit values.
Irlanda: (1) respirable fraction
Nueva Zelanda: (1) respirable aerosol
Suecia: (1) respirable dust

Perlite

Dust

Limit value - Eight hours
(ppm)/(mg/m³)

Australia: x/10(1)
Austria: x/5 inhalable aerosol
Belgio: x/10
Canada - Ontario: x/10 (1)
Canada - Quebec: x/10 (total) - 5 (respirable fraction)
South Korea: x/10
Latvia: x/4 (1)
People's Republic of China: x/8 (1) - 4 (2)
Singapore: x/10
USA - NIOSH: x/10 total dust- 5 respirable.

Limit value - Short term
(ppm)/(mg/m³)

Australia: x/x
Austria: x/10 inhalable aerosol
Belgio: x/x
Canada - Ontario: x/x
Canada - Quebec: x/x
South Korea: x/x
Latvia: x/x
People's Republic of China: x/x

Singapore: x/x
USA - NIOSH: x/x

Note:

Australia: (1) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Canada - Ontario: (1) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Latvia: (1) and tuff, pemza.
People's Republic of China: (1) inhalable fraction (2) respirable fraction

Perlite has not been classified separately by the Occupational Safety and Health Administration (OSHA). No However, the product contains crystalline silica in the form of quartz powder below 0.1%. In 2011 the Agency International Cancer Research Agency (IARC) concluded that crystalline silica in the form of quartz powder or cristobalite is carcinogenic to humans (Group 1).

Cellulose:

Limit value - Eight hours
(ppm)/(mg/m³)

Australia: x/10(1)
Belgio: x/10
Canada – Ontario: x/10
Canada - Québec: x/10
France: x/10 inhalable aerosol
Ireland: x/10(1); x/4(2)
Latvia: x/2
New Zealand: x/10(1)
People's Republic of China: x/10
Singapore: x/10
South Korea: x/10
Spain: x/10 inhalable aerosol
Switzerland: x/3 respirable aerosol
USA - NIOSH: x/10(1); x/5(2)
USA - OSHA: x/15 total dust; 5 respirable dust
United Kingdom: : x/10 inhalable aerosol; 4 respirable aerosol

Limit value - Short term
(ppm)/(mg/m³)

Ireland: x/20 (1)(3)
United Kingdom: x/20 inhalable aerosol

Remarks:

Australia: (1) This value is for inhalable dust containing no asbestos and <1 % crystalline silica.
Ireland: (1) Inhalable fraction (2) Respirable fraction (3) 15 minutes reference period
New Zealand: (1) The value for inhalable dust containing no asbestos and less than 1% free silica.
USA – NIOSH: (1) Total dust (2) Respirable aer

- Substance: PERLITE crystalline silica

DNEL

Systemic effects Long term Workers inhalation = 0.05 (mg/m³)
Systemic effects Long term Consumers inhalation = 0.05 (mg/m³)
Systemic effects Long term Consumers oral = 18.7 (mg/kg bw/day)

PNEC

STP = 100 (mg/l)

- Substance: PERLITE Dust

DNEL

Systemic effects Long term Workers inhalation = 37 (mg/m³)
Systemic effects Long term Workers dermal = 50 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 18,3 (mg/m³)
Systemic effects Long term Consumers dermal = 25 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 25 (mg/kg bw/day)
Local effects Long term Workers inhalation = 18 (mg/m³)
Local effects Long term Consumers inhalation = 9 (mg/m³)
PNEC
Sweet water = 0,74 (mg/l)
sediment Sweet water = 2,74 (mg/kg/sediment)
Sea water = 0,074 (mg/l)
sediment Sea water = 0,274 (mg/kg/sediment)
intermittent emissions = 10 (mg/l)
STP = 500 (mg/l)
ground = 0,15 (mg/kg ground)

8.2. Exposure controls

Appropriate engineering controls:

Manufacture of food products:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

8.2.2 Individual protection measures:

(a) Eye / face protection

When handling the pure product, wear protective goggles (EN 166).

(b) Skin protection

(i) Hand protection

When handling the pure product, use protective rubber or latex gloves or other protective equipment. protection, as indicated by the person responsible for the prevention of occupational risks.

(ii) Other

Wear normal work clothing.

(c) Respiratory protection

During manual operations, in case of insufficient ventilation, use a mask (UNE EN 149) with filter FFP powder according to hygienic environmental conditions unless otherwise indicated by the responsible person prevention of occupational risks.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices and avoid to disperse the product into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
----------------------------------	-------	----------------------

Physical and chemical properties	Value	Determination method
Appearance	Homogeneous powder	
Colour	White	
Odour	not determined as it is considered not relevant for the characterization of the product	
Odour threshold	not determined as considered not relevant for the characterization of the product	
pH	7,0 ± 1,0 (20°C; sol. 10%)	
Melting point/freezing point	not determined as considered not relevant for the characterization of the product	
Initial boiling point and boiling range	not determined as considered not relevant for the characterization of the product	
Flash point	not determined as considered not relevant for the characterization of the product	
Evaporation rate	not determined as considered not relevant for the characterization of the product	
Flammability (solid, gas)	not determined as considered not relevant for the characterization of the product	
Upper/lower flammability or explosive limits	not determined as considered not relevant for the characterization of the product	
Vapour pressure	not determined as considered not relevant for the characterization of the product	
Vapour density	not determined as considered not relevant for the characterization of the product	
Relative density	0,15 ± 0,01 (20°C)	
Solubility	not determined as it is considered not relevant for the characterization of the product	
Water solubility	not determined as it is considered not relevant for the characterization of the product	
Partition coefficient: n-octanol/water	not determined as considered not relevant for the characterization of the product	
Auto-ignition temperature	not determined as considered not relevant for the characterization of the product	
Decomposition temperature	not determined as considered not relevant for the characterization of the product	
Viscosity	not determined as considered not relevant for the characterization of the product	
Explosive properties	not determined as considered not relevant for the characterization of the product	
Oxidising properties	not determined as considered not relevant for the characterization of the product	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

Combustion gas: carbon monoxide and carbon dioxide.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

- (a) acute toxicity: PERLITE: non-toxic
Cellulose: Ingestion-rat LD50 (mg/kg/bw 24h): >5000
Skin contact-LC50 rat/coniglio (mg/kg/bw 24h): >2000
Inhalation-rat LD50 (mg/l/4h): >5800
- (b) skin corrosion/irritation PERLITE: Not corrosive
Cellulose: Non-corrosive
PERLITE: Not irritating
Cellulose: Non-irritating
- (c) serious eye damage/irritation: PERLITE: Not corrosive
Cellulose: Non-corrosive
PERLITE: Not irritating
Cellulose: Non-irritating
- (d) respiratory or skin sensitization: PERLITE: not classified as sensitizer for respiratory system or skin.
Cellulose: Non-Sensitizing
- (e) germ cell mutagenicity: PERLITE: based on the available data the classification criteria are not met
Cellulose: Not available
- (f) carcinogenicity: PERLITE: based on the available data the classification criteria are not met
Cellulose: Not available
- (g) reproductive toxicity: PERLITE: based on the available data the classification criteria are not met
Cellulose: Not available
- (h) specific target organ toxicity (STOT) single exposure: PERLITE: based on the available data the classification criteria are not met
Cellulose: Not available
- (i) specific target organ toxicity (STOT) repeated exposure PERLITE: based on the available data the classification criteria are not met

Cellulose: Not available

(j) aspiration hazard: PERLITE: based on the available data the classification criteria are not met

Cellulose: Not available

Health Hazards:

Eye contact: Accidental contact of product with eyes may cause irritation.

Skin Contact: Product is not an irritant. Prolonged or repeated contact may defeat and irritate the skin and cause dermatitis in some cases.

Ingestion: The ingested product may cause irritation of the mucous membranes of the throat and digestive system leading to digestive symptoms and abnormal bowel disorders.

Inhalation: Prolonged exposure to vapours or mists of product may cause respiratory irritation.

11.2. Information on other hazards

Perlite does not exceed the criteria to be considered dangerous according to EC Regulation 1272/2008 and the Directive 67/548 / EC which amends it. Perlite contains less than 0.1% w / w Respirable Crystalline Silica (RCS).

SECTION 12. Ecological information

12.1. Toxicity

=====

Related to contained substances:

PERLITE:

Not ecotoxic Use according to good working practices, avoiding the dispersion of the product in the medium.

Use according to good working practices and avoid to disperse the product into the environment.

12.2. Persistence and degradability

=====

Related to contained substances:

PERLITE:

Not relevant for inorganic substance

Cellulose:

Not persistent

12.3. Bioaccumulative potential

=====

Related to contained substances:

PERLITE:

Not relevant for inorganic substance

Cellulose:

There is no evidence of bioaccumulation potential.

12.4. Mobility in soil

=====

Related to contained substances:

PERLITE:

Not significant

Cellulose:
Not available

12.5. Results of PBT and vPvB assessment

No PBT/vPvB ingredient is present

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.
Recover if possible. Operate according to local or national regulations

SECTION 14. Transport information

14.1. UN number

Not included in the field of application of regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Transport in bulk is not foreseen

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable
Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC
Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC
Reg. EC 648/04: see 2.2
Reg. (EU) n. 1169/2011: see 2.2
Reg (UE) 528/2012: see.to 2.2

15.2. Chemical safety assessment

Chemical safety assessment wasn't carried out by the supplier

SECTION 16. Other information

16.1. Other information

Classification based on data of all mixture components

Main normative references:

Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.
Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.
Regulation (EC) n. 648 of 31/03/04 (on detergents) et seq.
Regulation (UE) n. 1169/2011 (on the provision of food information to consumers)
Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.
Regulation (UE) 528/2012 (Biocides) et seq.

Procedure used to classify under CLP mixture (Reg . EC 1272/2008): irrilevant

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a.: not applicable

n.d.: not available

ADR: Accord européen relative au transport International des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Acute Toxicity Estimati

BFC: BioconCentration Factor

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstract Service number

CAP: Centre AntiPoison

CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified Chemical Substances)

CL50/LC50: Lethal Concentration 50

DL50/LD50: Lethal Dose 50

COD: Chemical Oxygen Demand
DNEL: Derived No Effect Level
EC50: half maximal Effective Concentration
ERC: Environment Release Classes
EU/UE: European Union
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
IMDG: International Maritime Dangerous Goods code
Kow: Octanol water partition coefficient
NOEC: No Observed Effect Concentration
OEL: Occupational Exposure Limit
PBT: Persistent Bioaccumulative and Toxic
PC: Product Categories
PNEC: Predicted No Effect Concentration
PROC: Process Categories
RID: Règlement concernant le transport International ferroviaire des marchandises dangereuses (Regulations concerning International rail transport of dangerous goods)
STOT: Target Organ Systemic Toxicity
STOT (RE): Repeated Exposure
STOT (SE): Single Exposure
STP: Sewage Treatment Plants
SU: Sector of Use
SVCH: Substance of Very High Concern
TLV: Threshold Limit Value
vPvB: Very Persistent Very Bioaccumulative

References and Sources:

- ECHA Registered Substances:
- <https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances>
- SDS supplier
- GESTIS DNEL Database: <http://www.dguv.de/ifa/gestis/gestis-dnel-datenbank/index-2.jsp>
- GESTIS International Limit Value: <http://limitvalue.ifa.dguv.de>

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

*** this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: documental alignment. Rev.6 not available.
