



PERCISAN SF

.....
 Foam product based on activated hydrogen peroxide

→ DESCRIPTION

Percisan SF is a foaming oxidizing sanitizer for surfaces based on citric acid in hydrogen peroxide, with a high activity range, suitable to be used in alimentary, pharmaceutical and cosmetic industries and in the zoo-technical field. The fact of being odourless enlarges its utilization possibilities.

Percisan SF is a formulation with a wide activity range and is effective on Gram-positive and Gram-negative bacteria, moulds and yeasts.

Percisan SF is highly foaming, easy to be rinsed, sensitive to the organic substance and non-sensitive to the water hardness. Thanks to all these characteristics, it is suggested for the final sanitation treatment of hard surfaces.

→ TECHNICAL CHARACTERISTICS

Physical appearance: colourless clear liquid

pH: < 2

pH (5% solution): 3,0 ± 0,5

Relative density at 20°C: 1,15 ± 0,05

Odour: odourless

The above indicated chemical-physical data represent the typical product's characteristics drawn from the analysis carried out on the product. These values are not a specification.

→ INSTRUCTIONS FOR USE

Utilize **Percisan SF** at variable concentrations from 1 to 5% depending on the kind and the degree of the present contamination. It can be applied with a wide range of supplying equipments (Easyfoam P, Combifoam, Foamlance, centralized systems etc.). Final rinsing with drinking-water till any possible residue is completely eliminated. The formulation must not come into direct or indirect contact with foodstuff. Avoid prolonged contacts with surfaces (> 1 hour).

→ FIELDS OF APPLICATION

Sanitation of surfaces and rooms, equipments and plants. Treatment of tools, dismountable parts and utensils even by immersion. Sanitation of moulds and cheese maturing boards.





PERCISAN SF

→ COMPATIBILITY OF THE FORMULATION

Percisan SF is compatible with most material normally present in food industries, if used according to the producer's indications. Do not use on copper, bronze and aluminium and tinned iron. In case of doubt, carry out a test on the single material before using the product.

→ PRECAUTIONS FOR HANDLING AND STORAGE

Store in the original containers, far from extreme temperatures and direct sunlight. Consult the Material Safety Data Sheet.

→ TITRATION METHOD

Available on demand.

→ PACKAGING

25 kg net drums.

The indications have been established for general use conditions. For conditions differing from the norm, for example depending on the particular water hardness, the working method or cleaning problems, please consult us; our technical service will be pleased to advise you and to cooperate with you.

