SECURTEN EP

All all and the second with a second state of the few many second s

Alkaline detergent with sequestering action for monophase cleaning

---> DESCRIPTION

Securten EP is an alkaline liquid formulation, suitable for waters with a medium-low hardness, for the cleaning in re-use CIP of equipments subject to thermal exchange in the field of food and dairy industries.

Securten EP is able to easily remove organic and inorganic residues from surfaces, while the presence of controllers of the water hardness allows a sufficient management of mineral salt.

The formulation permits to delay in time the acid descaling stage. The presence of an anti-foaming agent enables its utilization even in systems with turbulence.

Securten EP is particularly suited for all these one-phase washings where a conductivity automatic control is necessary.

→ TECHNICAL CHARACTERISTICS

Physical appearance: beige cloudy liquid pH: > 12 pH (4% solution): > 12 Relative density at 20°C: 1,30 ± 0,05 Conductivity 1% sol. at 25°C: 12.3 mS/cm

The above indicated chemical-physical data represent the typical product's characteristics drawn from the analysis carried out on the product. These values are not a specification.

→ INSTRUCTIONS FOR USE*

After a first rinsing with water, apply a solution of **Securten EP** at a variable concentration of 1-4%. The concentration will anyway depend on the hardness of the process water. We suggest temperatures above 50°C. Final rinsing with drinkable water until the complete removal of any possible residue of detergent.

→ FIELDS OF APPLICATION

Alkaline cleaning of closed circuits, tanks and pipes, CIP plants with recovery. Cleaning in washing tunnels and/or immersion for moulds, trays and various containers. Treatment of pasteurizers, cream separators, trolleys and grills.





SECURTEN EP

--> COMPATIBILITY OF THE FORMULATION

Securten EP is compatible with most material normally present in food industries, if used according to the producer's indications. Do not use on aluminium, copper, zinc-plated iron and surfaces treated with phenolic resins. In case of doubt, carry out a test on the single material before using the product.

--> PRECAUTIONS FOR HANDLING AND STORAGE

Store in the original containers and avoid extreme temperatures. Consult the Material Safety Data Sheet.

-> TITRATION METHOD

Sample: 50 mL of washing solution Indicator: phenolphthalein Titrating agent: hydrochloric acid (HCl) 1N

% (v/v) **Securten EP** = mL titrating agent x 0,266 % (w/w) **Securten EP** = mL titrating agent x 0,353

--> PACKAGING

25 kg net drums. 1300 kg net IBC.

* The indications have been established for general use conditions. For conditions differing from the norm, for example depending on the particular water hardness, the working method or cleaning problems, please consult us; our technical service will be pleased to advise you and to cooperate with you.

