

RED FAST

EQUIPMENT FOR COLOR
EXTRACTION IN RED WINES



BENEFITS

COMPLETE
IMMERSION
OF ALL
MARC

SPEED OF
EXECUTION
(APPROX. 1MIN X 100 HL)

HIGH
SAVING OF
TIME AND
ENERGY

EASE OF
USE

NO NEED
FOR
SPECIALIZED
WORKERS

CHOOSE THE RELIABILITY AND EFFICIENCY OF AEB ENGINEERING

AEB ENGINEERING is the division specializing in the construction of plants and equipment that, thanks to the know-how gained and **100% in-house and on-site production**, guarantees the highest quality and reliability of AEB technologies. The uniqueness of **AEB ENGINEERING** lies in the **constant support of our technicians**, both during installation and after sales. For unparalleled service that is **flexible and customized** to the customer's needs.



RED FAST is a **simple and fast color extraction system** that can be used in tanks up to **300 hL capacity** by utilizing the effect of air/CO₂ injection. This is how, it **preserves the integrity of grape skins** while **avoiding the extraction of green tannins** that create bitter and/or vegetable sensations.



OPERATION

RED FAST is equipped with 2 tubes, one for intake and one for injection:

- if the suction tube is placed at the top of the tank (during AF), the operation is performed in an inert environment,
- if it is not fermenting or is placed outside the tank the operation is done with air.

The “bubble” of air formed by dipping (approx. 30-50cm) the special nozzle under the layer of skins causes them to be totally immersed in the must/wine.

RED FAST is ready to use and **requires no installation** (only connection to the power grid is needed).

**TECHNICAL
FEATURES AND
UTILITIES**

- **Injection tubes available in 2 food materials**
Stainless steel or PVC
- **Power 3 Kw**
- **Absorption 7.2 A**

COMPONENTS

RED FAST IS EQUIPPED WITH:

**GAS INJECTION TERMINALS**

Complete with regulating valve available in Stainless Steel or PVC, they allow the peel layer inside the tank to penetrate.

**BLOWING****FLEXIBLE, LIGHTWEIGHT SPIRAL HOSE
COMPLETE WITH COUPLINGS**

Suction along 5m; Injection along 10m

**OPTIONAL: REMOTE CONTROL**

It allows the operation to be managed in total autonomy.